	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	SDS Number: 000000119166 Version: 1.2

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Flexcryl™ 132  
EMULSION  
™ Trademark, Ashland or its subsidiaries, registered in various countries

**Recommended use of the chemical and restrictions on use**

<p><b>Details of the supplier of the safety data sheet</b></p> <p>Ashland P.O. Box 2219 Columbus, OH 43216 United States of America</p> <p>EHSProductSafety@ashland.com</p>	<p><b>Emergency telephone number</b> 1-800-ASHLAND (1-800-274-5263)</p> <p><b>Regulatory Information Number</b> 1-800-325-3751</p> <p><b>Product information</b> 614-790-3333</p>
---	---

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

**GHS Label element**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).


**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous components**

No hazardous ingredients

	Page: 2
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
	SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	Version: 1.2

---


#### SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)
- Notes to physician : No hazards which require special first aid measures.

---

#### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : acrylic monomers  
carbon dioxide and carbon monoxide

	Page: 3
	<b>SAFETY DATA SHEET</b>
	Revision Date: 11/07/2016
	Print Date: 1/20/2017
	SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	Version: 1.2

- Specific extinguishing methods :  
 Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
 Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

#### SECTION 7. HANDLING AND STORAGE


- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

---

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

- Engineering measures : General room ventilation should be adequate for normal

	Page: 4
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
<b>Flexcryl™ 132 EMULSION</b> ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	SDS Number: 000000119166 Version: 1.2

conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.
- Skin and body protection : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).
- Hygiene measures : General industrial hygiene practice.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Physical state : liquid
- Colour : white
- Odour : sweet
- Odour Threshold : No data available
- pH : 9.8
- Melting point/freezing point : No data available
- Boiling point/boiling range : > 212 °F / 100 °C
- Flash point : 500 °F / 260 °C  
Calculated Flash Point
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available




<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
	SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	Version: 1.2

Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 24.8 hPa
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.07 g/cm <sup>3</sup> (21 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

---

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: excessive heat
Incompatible materials	: acids alkalis Strong oxidizing agents strong reducing agents

	Page: 6
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	SDS Number: 000000119166 Version: 1.2

Hazardous decomposition products                      carbon dioxide and carbon monoxide

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks: No data available


**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or

 <b>Ashland</b> always solving	Page: 7
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
	SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	Version: 1.2

equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**



<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
	SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	Version: 1.2

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

**MX\_DG**  
Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**  
Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**  
Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**  
Not dangerous goods

**TDG\_INWT\_C**  
Not dangerous goods

**TDG\_RAIL\_C**  
Not dangerous goods

**TDG\_ROAD\_C**  
Not dangerous goods


**U.S. DOT - INLAND WATERWAYS**  
Not dangerous goods

**CFR\_RAIL\_C**  
Not dangerous goods

**U.S. DOT - ROAD**  
Not dangerous goods

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID



 <b>Ashland</b> always solving		Page: 9
<b>SAFETY DATA SHEET</b>		Revision Date: 11/07/2016
		Print Date: 1/20/2017
		SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027		Version: 1.2

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.


---

## SECTION 15. REGULATORY INFORMATION

- SARA 311/312 Hazards** : No SARA Hazards
- SARA 313 Component(s)** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop 65**
- WARNING! This product contains a chemical known to the State of California to cause cancer.
- |                |          |
|----------------|----------|
| ETHYLENE OXIDE | 75-21-8  |
| 1,4-DIOXANE    | 123-91-1 |
- WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
- |                |         |
|----------------|---------|
| ETHYLENE OXIDE | 75-21-8 |
|----------------|---------|

**The components of this product are reported in the following inventories:**

- TSCA** : On TSCA Inventory
- DSL** : All components of this product are on the Canadian DSL.
- AUSTR** : On the inventory, or in compliance with the inventory
- NZIOC** : On the inventory, or in compliance with the inventory
- ENCS** : Not in compliance with the inventory
- KECL** : On the inventory, or in compliance with the inventory
- PICCS** : Not in compliance with the inventory
- IECSC** : Not in compliance with the inventory

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 11/07/2016
		Print Date: 1/20/2017
		SDS Number: 000000119166
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027		Version: 1.2


**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**SECTION 16. OTHER INFORMATION**

**Further Information**

Revision Date: 11/07/2016


<p><b>NFPA:</b></p> <div style="text-align: center;"> <p>Flammability</p>  <p>Special hazard.</p> </div>	<p><b>HMIS III:</b></p> <table border="1" style="width: 100%; text-align: center;"> <tr> <td style="background-color: #cccccc;">HEALTH</td> <td style="width: 20px;">1</td> </tr> <tr> <td style="background-color: #cccccc;">FLAMMABILITY</td> <td>1</td> </tr> <tr> <td style="background-color: #cccccc;">PHYSICAL HAZARD</td> <td>0</td> </tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	1	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	1						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

**NFPA Flammable and Combustible Liquids Classification**  
Combustible Liquid Class IIIB

**Full text of H-Statements referred to under sections 2 and 3.**

Sources of key data used to compile the Safety Data Sheet  
Ashland internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 11/07/2016
	Print Date: 1/20/2017
Flexcryl™ 132 EMULSION ™ Trademark, Ashland or its subsidiaries, registered in various countries 666027	SDS Number: 000000119166 Version: 1.2

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
 BEI : Biological Exposure Index  
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
 FG : Food grade  
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
 H-statement : Hazard Statement  
 IATA : International Air Transport Association.  
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
 DOT : Department of Transportation  
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
 HMIRC : Hazardous Materials Information Review Commission  
 HMIS : Hazardous Materials Identification System  
 NFPA : National Fire Protection Association  
 NIOSH : National Institute for Occupational Safety and Health  
 OSHA : Occupational Safety and Health Administration  
 PMRA : Health Canada Pest Management Regulatory Agency  
 RTK : Right to Know  
 WHMIS : Workplace Hazardous Materials Information System