

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Boric acid  
**CHEMICAL NAME/SYNONYM:** Orthoboric acid, Boracic acid

**MANUFACTURER:** InCide® Technologies, Inc.  
**ADDRESS:** 50 N 41<sup>st</sup> Ave  
Phoenix, AZ 85009

**HOURS OF OPERATION:** Monday-Friday  
8am-5pm (MST)

**EMERGENCY PHONE:** (978) 962-8938  
**MANUFACTURER PHONE:** (602) 233-0756

**RECOMMENDED USE:** Industrial manufacturing

### SECTION 2: HAZARDS IDENTIFICATION

**HAZARD OVERVIEW:** Classification as a reproductive toxin is based on available data in animal studies showing adverse reproductive effects. Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.

**HAZARD CLASSIFICATION:** Reproductive Toxicity Category 2

**HAZARD PICTOGRAM:**



**SIGNAL WORD:** Warning

**HAZARD STATEMENTS:**

H361: Suspected of damaging fertility or the unborn child.

**PRECAUTIONARY STATEMENTS:**

P203: Obtain, read and follow all safety instructions before use.  
P280: Wear protective clothing, eye protection, and protective gloves.  
P318: If exposed or concerned, get medical advice.  
P405: Store locked up.  
P501: Dispose of contents/container in accordance with local regulation.

**OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:** None.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>SARA 313 REPORTABLE</u>
Boric acid	10043-35-3	>99.9%	No

### SECTION 4: FIRST AID MEASURES

**EYES:** Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

**SKIN:** No treatment necessary.

**INGESTION:** Products containing boric acid are not intended for ingestion. Small amounts (e.g., a teaspoonful) swallowed accidentally are not likely to cause effects; swallowing larger amounts may cause gastrointestinal symptoms. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

**INHALATION:** No specific treatment is necessary since boric acid is not likely to be hazardous by inhalation. Prolonged exposure to dust levels in excess of regulatory limits should always be avoided. If symptoms such as nose or throat irritation are observed, remove to fresh air.

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling. Supportive care only is required for adult ingestion of less than a few grams of the product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach. Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity of poisoning or as a guide in treatment.

---

### SECTION 5: FIRE-FIGHTING MEASURES

---

**EXTINGUISHING MEDIA:** Use extinguishing media that are appropriate to local circumstances and the surrounding environment.

**SPECIAL FIRE FIGHTING PROCEDURES:** Not applicable. Boric acid is itself a flame retardant.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None. Boric acid is not flammable, combustible or explosive.

#### SECTION 5 NOTES:

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**General:** Boric acid is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid spillage of large amounts into water and cover drains where possible.

**Land Spill:** Vacuum, shovel, or sweep up boric acid and place in containers for disposal in accordance with applicable local regulations. Where possible, avoid contamination of water bodies with large amounts during clean up and disposal. No personal protective equipment is needed to clean up land spills.

**Water Spill:** Where possible, remove any intact containers from the water. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards.

**SECTION 6 NOTES:** Boric acid is a non-hazardous waste when spilled or disposed of, as defined in the Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 261). (Refer to Regulatory Information for additional references and information regarding EPA and California regulations.)

---

### SECTION 7: HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:** Good housekeeping procedures should be followed to minimize dust generation and accumulation. Avoid spills. Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store locked up in a dry, indoor storage area. To maintain package integrity and to minimize caking, bags should be handled on a "first-in first-out" basis.

<b>Storage temperature:</b>	Ambient
<b>Storage pressure:</b>	Atmospheric
<b>Special sensitivity:</b>	Moisture (Caking)

---

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

---

**OSHA PEL-TWA:** 15 mg/m<sup>3</sup> total boric acid dust and 5 mg/m<sup>3</sup> respirable dust (as a PNOR)

**ACGIH TLV-TWA-OEL:** 2 mg/m<sup>3</sup> inhalable boric acid particles

**ACGIH 15 min STEL:** 6 mg/m<sup>3</sup> inhalable boric acid particles

**CalOSHA PEL-TWA:** 10 mg/m<sup>3</sup> total dust and 5 mg/m<sup>3</sup> respirable dust (as a PNOR)

**ENGINEERING CONTROLS AND VENTILATION:** Use local exhaust ventilation to keep airborne concentrations of boric acid dust below permissible exposure limits.

**RESPIRATORY PROTECTION:** Where airborne concentrations are expected to exceed exposure limits, NIOSH/MSHA certified respirators must be used.

**EYE PROTECTION:** Eye goggles are not required for normal industrial exposures, but eye protection according to ANSI Z.87.1 or other national standards may be warranted if environment is excessively dusty.

**SKIN PROTECTION:** Gloves are not required for normal industrial exposures, but standard work gloves (cotton, canvas or leather) may be warranted if environment is excessively dusty.

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

**SECTION 8 NOTES:** Boric acid is listed/regulated by OSHA and Cal OSHA as PNOR: Particulate Not Otherwise Regulated. PEL: Permissible Exposure Limit, TLV: Threshold Limit Value, TWA: Time Weighted Average, STEL: Short-Term Exposure Limit, OEL: Occupational Exposure Limit.

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:** White, crystalline powder

**ODOR:** Odorless

**ODOR THRESHOLD:** Not applicable

**pH AS SUPPLIED:** 6.1 (0.1% solution); 5.1 (1.0% solution); 3.7 (4.7% solution) @ 20°C

**MELTING POINT/ FREEZING POINT:** 171°C

**BOILING POINT AND BOILING RANGE:** Not applicable: melting point 815°C

**FLASH POINT:** Not applicable: inorganic substance

**EVAPORATION RATE:** not applicable: non-volatile

**FLAMMABILITY:** Non-flammable: used as a flame retardant

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** Not applicable: non-flammable

**VAPOR PRESSURE:** Not applicable: melting point 815°C

**VAPOR DENSITY:** Not applicable: melting point 815°C

**RELATIVE DENSITY:** 1.49 @ 23°C

**PARTICLE CHARACTERISTICS:** Granular solid

**SOLUBILITY IN WATER:** 49.2 g/L at 20°C

**PARTITION COEFFICIENT; n-octanol/water:** Log P<sub>ow</sub> = -1.09 at 22°C

**AUTO-IGNITION TEMPERATURE:** Not applicable: not self-heating

**DECOMPOSITION TEMPERATURE:** If heated above 100°C water is lost and boric acid converts initially to metaboric acid (HBO<sub>2</sub>) and on further heating forms boric oxide (B<sub>2</sub>O<sub>3</sub>)

**VISCOSITY:** Not applicable: solid substance

**EXPLOSIVE PROPERTIES:** Not explosive: does not contain chemical groups associated with explosive properties

**OXIDISING PROPERTIES:** Not oxidizing: does not contain chemical groups associated with oxidizing properties

**MOLECULAR WEIGHT:** 61.8

**SECTION 9 NOTES:** Chemical formula: H<sub>3</sub>BO<sub>3</sub>

---

### SECTION 10: STABILITY AND REACTIVITY

---

**REACTIVITY:** None known.

**STABILITY:** Under normal ambient temperatures (-40 °C to +40°C), boric acid is stable. When heated it loses water, first forming metaboric acid (HBO<sub>2</sub>), and on further heating it is converted into boric oxide (B<sub>2</sub>O<sub>3</sub>).

**INCOMPATIBLE MATERIALS:** Strong reducing agents.

**OTHER:** Boric acid is a weak acid that may cause corrosion of base metals. Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard. Avoid contact with strong reducing agents by storing according to good industrial practice.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** None.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

PAGE 3 OF 9

DATE: 02/02/2026

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

**ROUTES OF EXPOSURE:** Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because boric acid is poorly absorbed through intact skin. Boric acid is not intended for ingestion.

**SYMPTOMS RELATED TO THE PHYSICAL, AND CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:** Boric acid is *not* intended for ingestion. Small amounts (e.g. a teaspoonful) swallowed accidentally are not likely to cause effects. Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling.

**DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:** Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid and sodium borate dust. Human epidemiological studies indicate no effect on fertility in occupational populations with chronic exposures to borate dust and indicate no effect to a general population with high exposures to borates in the environment.

### ACUTE TOXICITY:

Method: Acute Oral Toxicity Study – OECD Guideline 401

Species: Rat

Dose: 2000 – 5000 mg/kg body weight

Routes of Exposure: Oral

Results: Low acute oral toxicity. The oral LD<sub>50</sub> value in male rats is 3,450 mg/kg bw, and in female rats is 4080 mg/kg bw.

Classification: Acute Toxicity (Oral) Category 5 (Hazard statement: H303: May be harmful if swallowed)

Method: Acute Dermal Toxicity Study – U.S. EPA FIFRA Guidelines

Species: Rabbit

Dose: 2,000 mg/kg bw

Routes of Exposure: Dermal

Results: Low acute dermal toxicity; LD<sub>50</sub> in rabbits is > 2,000 mg/kg of body weight. Poorly absorbed through intact skin.

Based on the available data, the classification criteria are not met.

Method: Acute Inhalation Toxicity Study – OECD Guideline 403

Species: Rat

Dose: 2.12 mg/L

Routes of Exposure: Inhalation

Results: Low acute inhalation toxicity; LC<sub>50</sub> in rats is > 2.0 mg/l (or g/m<sup>3</sup>). Based on the available data, the classification criteria are not met.

### SKIN CORROSION / IRRITATION:

Method: Primary Dermal Irritation Study – U.S. EPA FIFRA Guidelines

Species: New Zealand White Rabbit

Dose: 0.5 g moistened with saline

Routes of Exposure: Dermal

Results: No skin irritation. Mean Primary Irritation Score: 0.1. Based on the available data, the classification criteria are not met.

### SERIOUS EYE DAMAGE / IRRITATION:

Method: Eye Irritation Study – similar to OECD Guideline 405

Species: New Zealand White Rabbit

Dose: 0.1 g

Routes of Exposure: Eye

Results: Not irritating, corneal involvement or irritation clearing in 7 days.

Classification: Based on mean scores < 1, and the effects were fully reversible within 7 days, the classification criteria are not met. Many years of occupational exposure indicate no adverse effects on human eye.

### RESPIRATORY OR SKIN SENSITISATION:

Method: Buehler Test – OECD Guideline 406

Species: Guinea Pig

Dose: 0.4 g 95 % w/w/boric acid

Routes of Exposure: Dermal

Results: Not a skin sensitizer. No respiratory sensitization studies have been conducted. There are no data to suggest that boric acid is a respiratory sensitizer. Based on the available data, the classification criteria are not met.

### GERM CELL MUTAGENICITY:

Method: Several in vitro mutagenicity studies have been carried out on boric acid including gene mutation in mammalian cells, unscheduled DNA synthesis, chromosomal aberration and sister chromatid exchange in mammalian cells.

Species: L5178Y mouse lymphoma, V79 Chinese hamster cells, C3H/10T1/2 cells, hepatocytes, Chinese hamster ovary (CHO cells).

Dose: 1.0 - 10.0 mg/ml (1000 -10000 ppm) boric acid

Routes of Exposure: *in vitro*

Results: Not mutagenic (based on boric acid). Based on the available data, the classification criteria are not met.

### CARCINOGENICITY:

Method: OECD 451 equivalent.

Species: B6C3F1 mice

Dose: 1150 mg boric acid/kg bw/day

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

Routes of Exposure: Oral feeding study

Results: No evidence of carcinogenicity. Based on the available data, the classification criteria are not met.

### REPRODUCTIVE TOXICITY:

Method: Three-generation feeding study, similar to OECD 416 Two-Generation Study

Species: Rat

Dose: 0; 34 (5.9); 100 (17.5) and 336 (58.5) mg boric acid (mg B)/kg bw/day

Routes of Exposure: Oral feeding study

Results: NOAEL in rats for effects on fertility in males is 100 mg boric acid/kg bw equivalent to 17.5 mg B/kg bw.

Method: Prenatal Developmental Toxicity Study of Boric Acid – OECD Guideline 414

Species: Rat

Dose: 0; 19 (3.3); 36 (6.3); 55 (9.6); 76 (13.3) and 143 (25) mg boric acid (mg B)/kg bw.

Routes of Exposure: Oral feeding study

Results: NOAEL in rats for developmental effects on the fetus including fetal weight loss and minor skeletal variations is 55 mg boric acid/kg bw or 9.6 mg B/kg.

Classification: Reproductive Toxicity Category 2 (Hazard statement: H361: Suspected of damaging fertility or the unborn child.)

Method: Occupational studies of evaluating sensitive sperm parameters in highly exposed borate workers. Epidemiological studies evaluating high environmental exposures to boron and developmental effects in humans have been conducted.

Species: Human

Dose: A subset of workers was exposed to 125 mg B/day.

Routes of Exposure: Combined oral ingestion and inhalation

Results: No adverse fertility effects in male workers. Epidemiological studies of human developmental effects have shown an absence of effects in exposed borate workers and populations living in areas with high environmental levels of boron.

### STOT-SINGLE EXPOSURE:

Method: Standard Test Method for Estimating Sensory Irritancy of Airborne Chemicals – ASTM E981-04 (2004)

Species: Mouse

Dose: 221 - 1096 mg boric acid/m<sup>3</sup>

Routes of Exposure: Inhalation

Results: The highest concentration of boric acid that was achievable with acceptable control of the aerosol concentration was 1096 mg/m<sup>3</sup> with a %RD of 19%. The lowest exposure tested of 221 mg/m<sup>3</sup> boric acid resulted in a reduced respiration rate of 9%, graded as no irritation. Based on the available data, the classification criteria are not met.

Method: Sensory irritation in human volunteers

Species: Human

Dose: 2.5, 5, 10 mg boric acid/m<sup>3</sup>

Routes of Exposure: Inhalation

Results: No irritation from boric acid was observed at exposures up to 10 mg/m<sup>3</sup> among male and female human volunteers under controlled laboratory conditions.

### STOT-REPEATED EXPOSURE:

Method: Chronic toxicity study of boric acid, similar to OECD 452

Species: Rat

Dose: 0; 33 (5.9); 100 (17.5); 334 (58.5) mg boric acid (B)/kg bw per day (nominal in diet)

Routes of Exposure: oral: feed

Results: A NOAEL of 17.5 mg B/kg bw/day equivalent to 100 mg boric acid/kg bw/day was determined in a chronic feeding study (2 years) in rats and is based on testes effects. Other effects (kidney, hemopoietic system) are regarded only at even higher dose levels. Based on the available data, the classification criteria are not met.

**ASPIRATION HAZARD:** Physical form of solid powder indicates no aspiration hazard potential.

## SECTION 12: ECOLOGICAL INFORMATION

**ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):** Note that the data values are expressed as boron equivalents. To convert to this product divide the boron equivalent by 0.175. Studies judged to be unreliable or with insufficient information to evaluate are not included.

### FRESHWATER:

#### Chronic studies

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric NOEC/EC10)	References
Algal	4	10 mg B/L ( <i>Chlorella pyrenoidosa</i> ) to 50 mg B/L ( <i>Anacystis nidulans</i> )	3, 4
Higher plants	3	4.0 mg B/L ( <i>Phragmites australis</i> ) to 60 mg B/L ( <i>Lemna minor</i> )	5, 6
Invertebrate and protozoan	7	5.7 mg B/L ( <i>Daphnia magna</i> ) to 32 mg B/L ( <i>Chironomus riparius</i> )	7, 8

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

Fish	6	2.9 mg B/L ( <i>Micropterus salmoides</i> ) to 17 mg B/L ( <i>Carassius auratus</i> )	9
Amphibian	2	29 mg B/L ( <i>Rana pipiens</i> ) to 41 mg B/L ( <i>Bufo fowleri</i> )	9

Results<sup>2</sup>: Based on the complete data set of 22 species, the HC<sub>5</sub> value of the species sensitivity distribution is 4.05 mg B/L.

### Acute studies

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric EC/LC50)	References
Algal	2	10 mg B/L ( <i>Chlorella pyrenoidosa</i> ) to 28 mg B/L ( <i>Selenastrum capricornutum</i> )	3, 10
Invertebrate and protozoan	9	113 mg B/L ( <i>Ceriodaphnia dubia</i> ) to 1376 mg B/L ( <i>Chironomus decorus</i> )	11, 12
Fish	7	80 mg B/L ( <i>Pimephales promelas</i> ) to 627 mg B/L ( <i>Onchorhynchus tschawytscha</i> )	11, 13
Amphibian	2	86 mg B/L ( <i>Rana pipiens</i> ) to 104 mg B/L ( <i>Bufo fowleri</i> )	9

Results<sup>2</sup>: Based on the complete data set from 46 studies with 20 species, the HC<sub>5</sub> value of the species sensitivity distribution is 27.3 mg B/L

Classification: Based on the acute data for freshwater species, this substance is not classified as hazardous to the environment.

### MARINE AND ESTUARINE DATA:

#### Chronic studies

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric NOEC/EC10)	References
Algal	19	5 mg B/L ( <i>Emiliana huxleyi</i> ) to >100 mg B/L ( <i>Agmenellum quadruplicatum</i> , <i>Anacystis marina</i> , <i>Thalassiosira pseudonana</i> )	4

Results: No data are available for invertebrate or vertebrate species. The results from the freshwater data set are recommended as applicable to marine and estuarine species.

#### Acute studies

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric EC/LC50)	References
Invertebrate	3	45 mg B/L ( <i>Litopenaeus vannamei</i> ) to 83 mg B/L ( <i>Americamysis bahia</i> )	14, 15
Fish	2	74 mg B/L ( <i>Limanda limanda</i> ) to 600 mg B/L ( <i>Oncorhynchus tschawytscha</i> )	13, 16

No data are available for algal species.

### SEDIMENT:

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric EC/LC50)	References
Invertebrate	1	82.4 mg B/kg sediment dw ( <i>Chironomus riparius</i> )	17, 18

Results: Although limited, the data suggest that sediment organisms are within range of toxicity of aquatic organisms. In addition, the substance will not partition to the sediment, so a sediment/water partitioning approach is justified.

### SEWAGE TREATMENT PLANTS (STP):

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric NOEC/EC10)	References
-----------------	-----------------------	--	------------

# Boric Acid

## SAFETY DATA SHEET

EFFECTIVE DATE: February 2, 2026

Activated sludge	NA	>17.5 mg B/L to 100 mg B/L	19
Microbes	3	10 mg B/L ( <i>Opercularia bimarginata</i> ) to 20 mg B/L ( <i>Paramecium caudatum</i> )	20

### TERRESTRIAL DATA: Chronic studies

Taxonomic Group	Number of Taxa Tested	Range of Endpoint Values (geometric NOEC/EC10)	References
Plant	28	7.2 mg B/kg dw ( <i>Zea mays</i> ) to 56 mg B/kg dw ( <i>Allium cepa</i> )	21, 22
Invertebrates	9	15.4 mg B/kg dw ( <i>Folsomia candida</i> ) to 87 mg B/kg dw ( <i>Caenorhabditis elegans</i> )	23, 24
Soil micro	3	12 mg B/kg dw (nitrogen mineralization and nitrification test) to 420 mg B/kg dw (soil nitrogen transformation test)	25, 26

Results<sup>2</sup>: Based on the complete data set, the HC<sub>5</sub> value of the species sensitivity distribution is 10.8 mg B/kg dw.

**PHYTOTOXICITY:** Boron is an essential micronutrient for healthy growth of plants. It can be harmful to boron sensitive plants in higher quantities. Care should be taken to minimize the amount of borate product released to the environment.

**PERSISTENCE AND DEGRADABILITY:** Biodegradation is not an applicable endpoint since the product is an inorganic substance.

**BIOACCUMULATIVE POTENTIAL:** This product will undergo hydrolysis in water to form undissociated boric acid. Boric acid will not biomagnify through the food chain. Octanol/Water partition coefficient: Log P<sub>ow</sub> = -0.7570 @ 25°C<sup>27</sup>.

**MOBILITY IN SOIL:** The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

**OTHER ADVERSE EFFECTS:** None.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

**WASTE DISPOSAL METHOD:** Small quantities of boric acid can usually be disposed of at municipal landfill sites. No special disposal treatment is required, but refer to state and local regulations for applicable site-specific requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be re-used for an appropriate application. Product packaging should be recycled where possible.

**RCRA HAZARD CLASS:** Boric acid is not listed under any section of the Federal Resource Conservation and Recovery Act (RCRA).

**California Hazardous Waste Designation:** California identifies substances with acute oral, acute dermal, or acute inhalation LD<sub>50</sub>s less than 2,500, 4,300, or 10,000 mg/kg, respectively as "hazardous wastes." Additionally, if the aquatic LC<sub>50</sub> is less than 500 mg/L, the chemical is considered a "hazardous waste." Boric acid is therefore a "hazardous waste" if spilled in California, and should be handled in accordance with applicable state regulations. Refer to Regulatory Information for additional information.

---

### SECTION 14: TRANSPORT INFORMATION

---

**U.S. DEPARTMENT OF TRANSPORTATION:** Boric acid is not a US Department of Transportation (DOT) Hazardous Material.

**OTHER AGENCIES:** Boric acid has no UN Number and is not regulated under international rail, highway, water, or air transport regulations.

---

### SECTION 15: REGULATORY INFORMATION

---

**TSCA NO:** Boric acid does appear on the EPA TSCA inventory list (10043-35-3).

**CLEAN AIR ACT (MONTREAL PROTOCOL) - SUBSTANCES THAT DEplete THE OZONE LAYER:** Boric acid is not manufactured with and does not contain any Class I or Class II ozone depleting substances.

**REGULATION (EC) NO 689/2008 - EXPORT AND IMPORT OF DANGEROUS CHEMICALS:** Boric acid is not listed.

**U.S. EPA RCRA:** Boric acid is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act (RCRA) or regulations (40 CFR 261 *et seq*).

**SUPERFUND: CERCLA/SARA.** Boric acid is not listed under CERCLA (Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA (Superfund Amendments and Reauthorization Act), including substances listed under Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65, Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355, or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

# Boric Acid

## SAFETY DATA SHEET

**EFFECTIVE DATE:** February 2, 2026

**SAFE DRINKING WATER ACT (SDWA):** Boric acid is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 *et seq.* Consult state and local regulations for possible water quality advisories regarding boron compounds.

**CLEAN WATER ACT (CWA) (FEDERAL WATER POLLUTION CONTROL ACT):** 33 USC 1251 *et seq.*

- a) Boric acid is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33 USC 1314.
- b) It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129.
- c) It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

**OSHA/CAL OSHA:** This SDS document meets the requirements of both OSHA (29 CFR 1910.1200) and Cal OSHA (Title 8 CCR 5194(g)) hazard communication standards. Refer to Exposure Control/Personal Protection for regulatory exposure limits.

**IARC:** The International Agency for Research on Cancer (IARC) (a unit of the World Health Organization) does not list or categorize boric acid as a carcinogen.

**NTP BIENNIAL REPORT ON CARCINOGENS:** Boric acid is not listed.

**OSHA CARCINOGEN:** Boric acid is not listed.

**CALIFORNIA PROPOSITION 65:** Boric acid is not listed on the Proposition 65 list of carcinogens or reproductive toxicants.

**CHEMICAL INVENTORY LISTING:** The listing is sometimes under the Inventory number of the anhydrous form of this inorganic salt.

<b>U.S. EPA TSCA Inventory:</b>	10043-35-3
<b>Canada DSL:</b>	10043-35-3
<b>EINECS:</b>	233-139-2
<b>Australia AICS:</b>	10043-35-3
<b>China IECSC:</b>	10043-35-3
<b>Japanese METI &amp; ISHL:</b>	(1)-63
<b>New Zealand NZIoC:</b>	10043-35-3
<b>Philippines PICCS:</b>	10043-35-3
<b>South Korea KECI:</b>	KE-03499

---

### SECTION 16: OTHER INFORMATION

---

#### REFERENCES:

- Litovitz T L, Norman S A, Veltri J C, Annual Report of the American Association of Poison Control Centers Data Collection System. Am. J. Emerg. Med. (1986), 4, 427-458
- REACH Consortium for Borates (2010) Chemical Safety Report for Boric Acid. <http://apps.echa.europa.eu/registered/registered-sub.aspx#search>
- Fernandez et al. (1984) Phytol (Buenos Aires) 44: 125-133.
- Antia and Cheng (1975) J Fish Res Bd Can 32: 2487-2494.
- Bergman, Bruchlos, Marks (1995) Tenside Surf Det 32: 229-237.
- Wang (1986) Environ Poll (Ser B) 11: 1-14.
- Gersich and Milazzo (1990) Arch. Environ. Contam. Toxicol. 19: 72-76.
- Hooffman, van Dongelen-Sevenhuijsen and de Haan (2000). Unpublished report no. V99.1146 to Borax Europe Limited.
- Dyer (2001) Chemosphere 44: 369-376.
- Hansveit and Oldersma (2000) Unpublished report no: V99-157 to Borax Europe Limited.
- Soucek, Dickinson, Major (2010) Unpublished report to REACH Consortium for Borates.
- Maier and Knight (1991) Arch. Environ. Contam. Toxicol. 20, 282 – 287.
- Hamilton and Buhl (1990) Arch. Environ. Contam. Toxicol. 19, 366-373.
- Li, et al. (2007) Aquaculture 278, 175-178.
- Pillard et al. (2002) Environ Toxicol Chem, 21, 2131-2137.
- Taylor et al. (1985) Aquat Toxicol, 7, 135-144.
- Gerke, A (2011a). Unpublished report to REACH Consortium for Borates.
- Gerke, A (2011b). Unpublished report to REACH Consortium for Borates.
- Hansveit and Schoonmade (2000). Unpublished report no.: V99.156 to Borax Europe Limited.
- Guhl (2000) SÖFW-Journal 126: 17-24.
- Hosseini et al. (2007) J Plant Nutrition, 30, 773-781.
- Aquaterra Environmental (1998) Unpublished report to Environment Canada, Environmental Technology Centre.
- Becker-van Slooten, Campiche, Tarradellas (2003). Unpublished report to Environment Canada, Environmental Technology Centre.
- Moser and Becker (2009) Unpublished report to REACH Consortium for Borates.
- Van Laer, Salaets, Smolders (2010) Unpublished report to REACH Consortium for Borates.
- Förster and Becker (2009) Unpublished report to REACH Consortium for Borates.
- Cordia et al. (2003) Unpublished report no: PML 2002-C42r to Borax Europe, Ltd.

**OTHER INFORMATION:** This SDS was finalized on February 2, 2026 and is compliant with OSHA HCS/HazCom 2024 Final Rule. This replaces the previous version dated July 17, 2024.

**DISCLAIMER:** Information presented herein has been compiled from sources considered dependable and is accurate and reliable to the best of our knowledge and belief, but it is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and adopt necessary safety

# Boric Acid

## SAFETY DATA SHEET

**EFFECTIVE DATE:** February 2, 2026

precautions. We make no warranty as to results to be obtained in using any material and, since conditions or use are not under our control, we must necessarily disclaim all liability with respect to use of any material supplied by us.